## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7920	initial\$3 with (set or plural\$8) with (path\$3 or rout\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 09:57
L3	37	1 and (delet\$3 or remov\$3 or eliminat\$3 or purg\$3) with internal with (path\$3 or rout\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 09:58
L5	16	3 and minimum with (cost or path)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 09:54
L6	22	3 and minimum with (cost or path\$3 or rout\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:02
L7	5	6 and minimum with ((multi near4 exit near4 discriminator) or value)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:16
L8	865	"370"/\$.ccls. and initial\$3 with (set or plural\$8) with (path\$3 or rout\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:00
L9	4:	8 and (((delet\$3 or remov\$3 or eliminat\$3 or purg\$3) with internal with (path\$3 or rout\$3)) or (maximum with local with preference))	US-PGPUB; USPAT; EPO; IBM_TDB	●OR	ON	2006/07/07 10:01
L10	47	(border with gateway with protocol) and initial\$3 with (set or plural\$8) with (path\$3 or rout\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:01
L11	2	10 and (((delet\$3 or remov\$3 or eliminat\$3 or purg\$3) with internal with (path\$3 or rout\$3)) or (maximum with local with preference))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:01
L12	32	10 and (((delet\$3 or remov\$3 or eliminat\$3 or purg\$3) with (path\$3 or rout\$3)) or (maximum with local with preference))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:01
L13	9	12 and minimum with (cost or path\$3 or rout\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:02

7/7/06 10:39:50 AM

## **EAST Search History**

		T				
L14	9	12 and minimum with (cost or path\$3 or rout\$3 or value)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:02
L15	9	12 and minimum with (cost or path\$3 or rout\$3 or ((multi near4 exit near4 discriminator) with value) or value)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:04
L16	8	15 and best with (path\$3 or rout\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:11
L17	456	(border with gateway with protocol) and best with (path\$3 or rout\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:18
L18	11	17 and initializ\$3 with (set or plural\$6) with (rout\$3 or path)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:19
L19		18 and minimum	US-PGPUB; USPAT; EPO; IBM_TDB	ŌR	ON	2006/07/07 10:16
L20	268	17 and minimum	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:16
L21	156	17 and minimum with ((multi near4 exit near4 discriminator) or value or cost)	US-PGPUB; USPAT; EPO; IBM_TDB	ÖR	ÖN	2006/07/07 10:17
L22	1	21 and initializ\$3 with (set or plural\$6) with (rout\$3 or path)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:17
L23	343	(border with gateway with protocol) and (determin\$3 or comput\$3 or select\$3 or elect\$3 or choos\$3 or pick\$3) with best with (path\$3 or rout\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:32
L24	1	23 and initializ\$3 with (set or plural\$6) with (rout\$3 or path) and minimum with (value or cost)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:19
L25	1	23 and initializ\$3 with (set or plural\$6) with (rout\$3 or path) and minimum	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 10:19

## **EAST Search History**

L26	4	23 and initializ\$3 with (rout\$3 or	US-PGPUB;	OR	ON	2006/07/07 10:33
		path) and minimum with (value or cost)	USPAT; EPO; IBM_TDB			
L27	1	23 and initializ\$3 with (set or	US-PGPUB;	OR	ON	2006/07/07 10:22
-	ıt.	plural\$6) with (rout\$3 or path) and minimum with (value or cost)	USPAT; EPO;		arti.	
			IBM_TDB			
L28	11	23 and initializ\$3 with (set or	US-PGPUB;	OR	ON	2006/07/07 10:23
		plural\$6) with (rout\$3 or path)	USPAT; EPO;			
			IBM_TDB			
Ŀ29	511	((border with gateway with	US-PGPUB;	OR	ON .	2006/07/07 10:32
	*	protocol) or (autonomous with system)) and (determin\$3 or	USPAT; EPO;			
	4	comput\$3 or select\$3 or elect\$3 or	IBM_TDB	Street Section		
		choos\$3 or pick\$3) with best with (path\$3 or rout\$3)				
L30	12	29 and initializ\$3 with (rout\$3 or	US-PGPUB;	OR	ON	2006/07/07 10:33
		path) and minimum with (value or cost)	USPAT; EPO;			
			IBM_TDB			

7/7/06 10:39:50 AM